



Quote

12/20/2024

Ship To:
Plans: Papa Dans Quote


From:
Cornerstone Restaurant Supply &
Design, Inc.
Sean Kelly
73605 Dinah Shore Drive, 1600
Palm Desert, CA 92211-0808
760-770-4036
(760) 770-4036 (Contact)





Project Code: 315780

Item	Qty	Description	Sell	Sell Total
A 01		SPARE NO.		
A 02		SPARE NO.		
A 03	1 ea	AIR CURTAIN Berner Model No. SHD07-1048A Sanitation Certified Series High Performance Air Curtain, 48" long, unheated, (1) 3/4 hp motor, for doors up to 7-feet high, specify exterior, indoor or exterior mounting, cULus, UL EPH Classified, MADE IN USA 1 ea NOTE:Contact Name / Phone Number and/or Email required at time of order 1 ea Five year parts warranty (unheated units) 1 ea If special freight fees are requested, (See below) all applicable fees will be added to the invoice; fees subject to change; contact factory for addition information. 1 ea A 120v/60/1-ph 1 ea 9503SD025-PR-A Plunger/Roller Door Switch, NEMA 1, max. amp draw of 20 amps, 120-240v/1ph 1 ea White powder coat exterior finish, standard Weight: 68 lbs total	\$881.65	\$881.65
			ITEM TOTAL:	\$946.11
A 04	1 ea	WATER FILTRATION SYSTEM, FOR ICE MACHINES Hoshizaki Model No. H9320-53 Water Filtration System, triple configuration, 19.15" H (manifold & cartridge) Dimensions 19.15(h)	\$634.84	\$634.84







Item	Qty	Description	Sell	Sell Total
	1 ea	Warranty: 1-Year on entire water filtration system & replaceable elements, standard		
			ITEM TOTAL:	\$634.84
A 05	1 ea	ICE MAKER, CUBE-STYLE Hoshizaki Model No. KM-1340MAJ Ice Maker, Cube-Style, 30"W, air-cooled, self-contained condenser, production capacity up to 1275 lb/24 hours at 70°/50° (1089 lb AHRI certified at 90°/70°), stainless steel finish, crescent cube style, R-404A refrigerant, 208-230v/60/1-ph, 13.2 amps, NSF, UL Dimensions 41.5(h) x 30(w) x 27.38(d)	\$7,806.15	\$7,806.15
	1 ea	Warranty: 3-Year parts & labor on entire machine		
	1 ea	Warranty: 5-Year parts & labor on evaporator		
	1 ea	Warranty: 5-Year parts on compressor & air-cooled condenser		
	1 ea	NOTE: If neutral not available, transformer kit HS-5030 is required. Refer to instruction manual for installation and electrical requirements.		
	1 ea	B-800SF Ice Bin, 48"W, top-hinged front-opening door, 800-lb ice storage capacity, for top-mounted ice makers, stainless steel exterior, painted legs included, protected with H-GUARD Plus Antimicrobial Agent, ETL, ETL-Sanitation	\$1,923.32	\$1,923.32
	1 ea	Warranty: 3-Year parts & labor for bin		
	1 kt	HS-2034 Top Kit, 14", ABS	\$155.18	\$155.18
	1 kt	HS-2032 Top Kit, 4", ABS	\$141.08	\$141.08
	1 ea	Warranty: 1-Year on entire water filtration system & replaceable elements, standard Weight: 507 lbs total		
			ITEM TOTAL:	\$10,025.73
A 06	3 ea	HAND SINK GSW USA Model No. HS-1615S Hand Sink, wall mount, one compartment, 15-3/4"W x 15-1/4"D x 13-3/8"H overall size, 12-1/2" wide x 9-3/4" front-to-back x 5-5/8" deep sink bowl, welded splash guards, includes: no lead wall mount gooseneck faucet (AA-410G) & strainer (AA-141), wall mount bracket, 304 stainless steel construction, ETL Dimensions 16.38(h) x 15.75(w) x 15.25(d) Weight: 42 lbs total	\$158.03	\$474.09
			ITEM TOTAL:	\$474.09
A 07		SPARE NO.		
A 08	1 ea	AIR CURTAIN	\$793.70	\$793.70




Item	Qty	Description	Sell	Sell Total
		Berner Model No. SHD07-1036A Sanitation Certified Series High Performance Air Curtain, 36" long, unheated, (1) 3/4 hp motor, for doors up to 7-feet high, specify exterior, indoor or exterior mounting, cULus, UL EPH Classified, MADE IN USA		
	1 ea	NOTE:Contact Name / Phone Number and/or Email required at time of order		
	1 ea	Five year parts warranty (unheated units)		
	1 ea	If special freight fees are requested, (See below) all applicable fees will be added to the invoice; fees subject to change; contact factory for addition information.		
	1 ea	A 120v/60/1-ph		
	1 ea	9503SD025-PR-A Plunger/Roller Door Switch, NEMA 1, max. amp draw of 20 amps, 120-240v/1ph	\$64.46	\$64.46
	1 ea	White powder coat exterior finish, standard Weight: 64 lbs total		
			ITEM TOTAL:	\$858.16
A 09	1 ea	HAND SINK GSW USA Model No. HS-1615F Hand Sink, wall mount, foot operated, 12-1/2"W x 9-3/4"D front-to-back, 5-1/2" deep bowl, includes lead free faucet & strainer, removable front cover, 1-7/8" drain, 304 stainless steel, ETL Dimensions 41(h) x 15.75(w) x 15.25(d) Weight: 35 lbs total	\$686.52	\$686.52
			ITEM TOTAL:	\$686.52
A 10		SPARE NO.		
A 11	2 ea	LOCKER GSW USA Model No. ELS-6DR Employee Locker, 6-tier, 12"W x 16"D x 77"H, door pulls, grid vented, 6" adjustable legs, powder coated beige Dimensions 77(h) x 12(w) x 16(d) Weight: 130 lbs total	\$214.42	\$428.84
			ITEM TOTAL:	\$428.84
A 12		SPARE NO.		
A 13		SPARE NO.		
A 14		SPARE NO.		
B 01	1 ea	BEVERAGE COUNTER	\$5,593.64	\$5,593.64





Item	Qty	Description	Sell	Sell Total
		Advance Tabco Model No. BEV-30-84L Beverage Table, 84" W, with 14" x 16" x 12" deep sink on left with faucet 4"OC, urn trough 5" x 36" with no splash drain plate, 14 gauge 304 stainless steel top with no drip counter top edge, 10" x 2" backsplash, enclosed stainless steel base with bottom & intermediate undershelves, stainless steel legs, NSF Dimensions 46(h) x 84(w) x 30(d)		
	1 ea	TA-34 Top cut-out for drop in equipment (per cut-out)	\$165.96	\$165.96
	1 ea	TA-40 Remove undershelf in cabinet base for slide in buyout		
	1 ea	TA-42-30 Interior partition, 2-1/2" x 30" (each)	\$147.26	\$147.26
	1 ea	TA-48 12" x 12" cut out for plumbing in back panel or undershelf	\$157.55	\$157.55
		Weight: 365 lbs total		
			ITEM TOTAL:	\$6,064.41
B 02		SPARE NO.		
B 03	1 ea	GLASS FILLER STATION BK Resources Model No. BK-WS-1SGF-G Glass Filler Water Station, sink with faucet, drop-in, locking clip on faucet for continuous flow, stainless steel construction, lead free, NSF Dimensions 15.33(h) x 13.75(w) x 10.75(d) Weight: 7.5 lbs total	\$227.41	\$227.41
				
			ITEM TOTAL:	\$227.41
B 04	1 ea	SHELVING, WALL MOUNTED Omcan USA Model No. 22109 (22109) Shelf, wall-mounted, solid, 36"W x 12-3/4"D x 11-1/2"H, 231 lb load capacity, 18 gauge 430 stainless steel, NSF Dimensions 11.5(h) x 36(w) x 12.75(d) Weight: 11 lbs total	\$65.94	\$65.94
				
			ITEM TOTAL:	\$65.94
B 05		SPARE NO.		
B 06	1 ea	SHELVING, WALL MOUNTED Omcan USA Model No. 22110 (22110) Shelf, wall-mounted, solid, 48"W x 12-3/4"D x 11-1/2"H, 253 lb load capacity, 18 gauge 430 stainless steel, NSF Dimensions 11.5(h) x 48(w) x 12.75(d) Weight: 15 lbs total	\$81.50	\$81.50
				
			ITEM TOTAL:	\$81.50
B 07		SPARE NO.		
B 08		SPARE NO.		


Item	Qty	Description	Sell	Sell Total
B 09		SPARE NO.		
B 10	1 ea	UNDERCOUNTER REFRIGERATOR Atosa USA, Inc. Model No. MGF8401GR Atosa Undercounter Refrigerator, reach-in, one-section, 27-9/16"W x 30"D x 34-1/4"H, rear-mounted self-contained refrigeration, 7.15 cu. ft., (1) right hinged solid door, digital temperature control, 33° to 40°F temperature range, (1) adjustable shelf, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 2" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.3 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR® Dimensions 34.25(h) x 27.56(w) x 30(d) 1 ea 2 year labor & parts warranty, 5 years warranty on compressor (continental USA only) Weight: 171 lbs total	\$1,347.76	\$1,347.76
			ITEM TOTAL:	\$1,347.76
B 11		SPARE NO.		
B 12		SPARE NO.		
B 13		SPARE NO.		
B 14		SPARE NO.		
B 15		SPARE NO.		
B 16	1 ea	DISPLAY CASE, HOT FOOD, COUNTERTOP Hatco Model No. FSDT-1 Flav-R-Savor® holding & display cabinet, (1) door, (4) tier circle rack with motor, LED lighting, with 6 ft cord & plug, 1440 watts, CE, cULus, UL EPH Classified, Made in USA Dimensions 32.54(h) x 22.42(w) x 24.11(d) 1 ea NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details 1 ea NOTE: Includes 24/7 parts & service assistance, call 414-671-6350 1 ea One year on-site parts & labor warranty, plus one additional year parts only warranty on all Flav-R-Savor® metal sheathed air heating elements 1 ea 120v/60/1-ph, 1414 watts, 11.8 amps, NEMA 5-15P (domestic voltage), standard 1 ea STANDARD Clear Anodized Aluminum housing, finish, standard (available at time of purchase only) 1 ea (4) Tier circle rack, standard Weight: 128 lbs total	\$3,010.15	\$3,010.15
			ITEM TOTAL:	\$3,010.15
B 17	1 ea	DISPLAY CASE, REFRIGERATED BAKERY	\$9,913.71	\$9,913.71

Item	Qty	Description	Sell	Sell Total
		<p>True Mfg. – Specialty Display Model No. TGM-R-77-SC/SC-B-W Glass Merchandiser, refrigerated, 77-1/4"W, self-contained refrigeration, with fixed curved glass front, solid colored sides, (2) rear sliding glass doors, (3) tiered levels of adjustable white PVC coated wire shelves (6 shelves total), LED interior lighting, black powder coated exterior, white powder coated interior, R290 Hydrocarbon refrigerant, 1/2 HP, 115/60/1-ph, 12.0 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA Dimensions 49.13(h) x 77.25(w) x 39(d)</p> <p>1 ea 7 year compressor warranty, 7 years parts warranty, 7 year labor warranty, standard. Visit www.truemfg.com for specifics.</p> <p>1 ea Self-contained refrigeration standard Weight: 855 lbs total</p>		
			ITEM TOTAL:	\$9,913.71
B 18	1 ea	<p>DRAFT BEER COOLER Arctic Air Model No. ADD48R-2 Direct Draw Draft Beer Dispenser, 49"W, 12.5 cu. ft. capacity, side mounted self-contained refrigeration, electronic thermostat with digital LED display, 33°F to 41°F temperature range, (2) tap towers, (2) faucets per tower, interior top ventilated stainless steel duct, (2) solid hinged doors with locks, LED interior lighting, external drain mount, mounted 4-way air distributor, stainless steel interior, reinforced stainless steel threshold & floor, 1-1/2" solid foamed stainless steel countertop, black powder coated steel front & sides, (4) 3-1/4" casters (2 locking), R290 Hydrocarbon refrigerant, 480 BTU/h rejected heated air gain, 2/5 HP, 3.0 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation Dimensions 39.5(h) x 49(w) x 24(d)</p> <p>1 ea 2 year parts & labor, 5 years on compressor warranty standard</p> <p>1 ea Any Arctic Air model installed in mobile application such as concession trailers, food trucks, etc. or in an outdoor venue shall be limited to one (1) year parts, labor, & compressor warranty only. Models ACP40, ACP48, ACP55, ACP63, ACP4SQ, & ACPSQ are limited to one (1) year parts & labor coverage. Models AWR25 and AWF25 are limited to one (1) year parts & labor coverage and five (5) year compressor warranty. Light bulbs, door gaskets, etc... are limited to a 90-day warranty period & door hinges to a one (1) year period. The warranty is not valid for Residential use.</p> <p>1 ea Standard warranty only</p> <p>1 ea 3" casters (2 locking), set of 4, standard Weight: 230 lbs total</p>	\$2,345.20	\$2,345.20
			ITEM TOTAL:	\$2,345.20
B 19		SPARE NO.		
B 20	3 ea	SHELVING, WALL MOUNTED	\$81.50	\$244.50

Item	Qty	Description	Sell	Sell Total
	1 ea	Natural Gas Weight: 365 lbs total		
			ITEM TOTAL:	\$4,507.65
C 21.1	1 kt	GAS CONNECTOR HOSE KIT / ASSEMBLY Dormont Manufacturing Model No. RG7548 Packed 1 kt Dormont ReliaGuard® Foodservice Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with gray PVC, (1) quick disconnect, coiled restraining cable with hardware, limited 5 year warranty Dimensions 26.63(h) x 10.38(w) x 2.88(d) Weight: 6.27 lbs total	\$149.00	\$149.00
				
			ITEM TOTAL:	\$149.00
C 22	1 ea	EQUIPMENT STAND, REFRIGERATED BASE Atosa USA, Inc. Model No. MGF8450GR Atosa Chef Base, one-section, 48-2/5"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 7.7 cu. ft., (2) self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes (4) 12 x 20 & (6) 1/6 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps, 115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR® Dimensions 26.6(h) x 48.4(w) x 33(d) 1 ea 2 year labor & parts warranty, 5 years warranty on compressor (continental USA only) 1 ea 1/6 size, 4" deep metal pans and dividers included (see specsheet for exact pans included per model) Weight: 258 lbs total	\$2,156.96	\$2,156.96
				
			ITEM TOTAL:	\$2,156.96
C 23	1 ea	CHEESEMELTER, GAS American Range Model No. ARCM-48 Cheesemelter, gas, 48" wide, (2) infrared burners, manual controls with pilot, (1) rack with 3-rack position, stainless steel construction, 12.0kW, 40,000 BTU, ETL, Made in USA Dimensions 21.5(h) x 48(w) x 18(d) 1 ea Standard two year limited warranty on parts & labor 1 ea Natural Gas 1 ea A37951 Wall mount Bracket for ARCM-48 Weight: 188 lbs total	\$2,895.75	\$2,895.75
				
			ITEM TOTAL:	\$400.06
			ITEM TOTAL:	\$3,295.81
C 24	1 ea	RANGE, 48", 8 OPEN BURNERS	\$5,791.50	\$5,791.50




Item	Qty	Description	Sell	Sell Total
		American Range Model No. AR-8-126L-SBR Restaurant Range, gas, 48", (8) 32,000 BTU open burners, (1) 26-1/2" standard oven on left, (2) racks, (1) 11" storage base on right, stainless steel front, sides, choice of high shelf and riser, 20" riser or 6" stub back, 6" adjustable chrome plated legs, 86.0kW, 291,000 BTU, cETLus, ETL-Sanitation, Made in USA Dimensions 56(h) x 48(w) x 32.25(d)		
	1 ea	Standard two year limited warranty on parts & labor		
	1 ea	Natural Gas		
	1 ea	6" stub back, stainless-steel		
	1 st	A35117 Casters, set of 4 (2 locking) Weight: 570 lbs total	\$200.48	\$200.48
			ITEM TOTAL:	\$5,991.98
C 24.1	1 kt	GAS CONNECTOR HOSE KIT / ASSEMBLY Dormont Manufacturing Model No. RG7548 Packed 1 kt Dormont ReliaGuard® Foodservice Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with gray PVC, (1) quick disconnect, coiled restraining cable with hardware, limited 5 year warranty Dimensions 26.63(h) x 10.38(w) x 2.88(d) Weight: 6.27 lbs total	\$149.00	\$149.00
				
			ITEM TOTAL:	\$149.00
C 25		SPARE NO.		
C 26	2 ea	UNDERCOUNTER REFRIGERATOR Atosa USA, Inc. Model No. MGF8403GR Atosa Undercounter Refrigerator, reach-in, two-section, 60-1/4"W x 30"D x 34-1/4"H, rear-mounted self-contained refrigeration, 17.2 cu. ft., (2) hinged solid doors, digital temperature control, 33° to 40°F temperature range, (2) adjustable shelves, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 2" casters, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 2.8 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR® Dimensions 34.25(h) x 60.25(w) x 30(d)	\$2,309.28	\$4,618.56
				
	2 ea	2 year labor & parts warranty, 5 years warranty on compressor (continental USA only)		
	2 ea	MROS-5RE Overshelf, double, 60-1/4"W x 12-8/10"D x 33"H, sound deadened, adjustable, 18/430 stainless steel, NSF Weight: 590 lbs total	\$283.56	\$567.12
			ITEM TOTAL:	\$5,185.68
C 27		SPARE NO.		
C 28	1 ea	MICROWAVE OVEN	\$279.45	\$279.45



Item	Qty	Description	Sell	Sell Total
	1 ea	<p>Sharp Model No. R-21LCFS Microwave Oven, medium duty, 1000 watts, 1.0 cu. ft. capacity, stainless steel door, cavity and outer wrapper, durable side-hinged see-thru door, (1) power level, 6 minutes manual light up dial timer, timer heating-time guide, timer resets to 0 when door is opened during cooking cycle, 120v/60/1-ph, 14 amp, NEMA 5-15P, UL, NSF Dimensions 12.17(h) x 20.5(w) x 18.03(d) Warranty: 1 year parts, labor & travel, 3 years on Magnetron, standard Weight: 44 lbs total</p>		
			ITEM TOTAL:	\$279.45
C 29		SPARE NO.		
	2 ea	<p>DISH CABINET BK Resources Model No. BKDC-1560 Dish Cabinet, open front, 60"W x 15"D, 14/304 stainless steel top, 18/304 stainless steel body, fixed position shelf, 6"H stainless steel legs with adjustable bullet feet, NSF Dimensions 35.5(h) x 60(w) x 15(d) Weight: 254 lbs total</p>	\$853.99	\$1,707.98
			ITEM TOTAL:	\$1,707.98
C 31		SPARE NO.		
	2 ea	<p>SANDWICH / SALAD PREPARATION REFRIGERATOR Atosa USA, Inc. Model No. MSF8302GR Atosa Sandwich/Salad Top Refrigerator, two-section, 48-1/5"W x 30"D x 41-3/8"H, includes (12) 1/6 poly pans, rear-mounted, self-contained refrigeration, 13.4 cu. ft., (2) solid hinged self-closing doors, digital temperature control, 33° to 40°F temperature range, (2) adjustable shelves, 9-1/4" poly cutting board, ventilated refrigeration, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 3" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.3 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation Dimensions 41.38(h) x 48.2(w) x 30(d) 2 year labor & parts warranty, 5 years warranty on compressor (continental USA only)</p>	\$2,194.36	\$4,388.72
	2 ea	MROS-4RE Overshelf, double, 48-1/4"W x 12-8/10"D x 33"H, sound deadened, adjustable, 18/430 stainless steel, NSF	\$263.16	\$526.32
	2 ea	1/6 size, 6" deep poly pans and dividers included Weight: 604 lbs total		
			ITEM TOTAL:	\$4,915.04
C 33		SPARE NO.		
	1 ea	UNDERCOUNTER REFRIGERATOR	\$1,925.08	\$1,925.08



Item	Qty	Description	Sell	Sell Total
		Atosa USA, Inc. Model No. MGF8402GR Atosa Undercounter Refrigerator, reach-in, two-section, 48-1/4"W x 30"D x 34-1/4"H, rear-mounted self-contained refrigeration, 13.38 cu. ft., (2) hinged solid doors, digital temperature control, 33° to 40°F temperature range, (2) adjustable shelves, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 2" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.3 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR® Dimensions 34.25(h) x 48.25(w) x 30(d)		
	1 ea	2 year labor & parts warranty, 5 years warranty on compressor (continental USA only)		
	1 ea	MROS-4RE Overshelf, double, 48-1/4"W x 12-8/10"D x 33"H, sound deadened, adjustable, 18/430 stainless steel, NSF Weight: 257 lbs total	\$263.16	\$263.16
			ITEM TOTAL:	\$2,188.24


C 35		SPARE NO.		
D 01	1 ea	SOILED DISHTABLE BK Resources Model No. BKSDT-48-R-P3-G Soiled Dishtable, straight design, 48"W x 30-3/8"D x 46-1/4"H, right-to-left operation, 18/304 stainless steel top, 20" x 20" x 8" deep pre-rinse sink, 8" OC splash mount pre-rinse faucet (BKF-SMPR-WB-G), 10"H backsplash, raised rolled edges on front & sides, (1) pre-rinse basket (BK-PRB-5), includes basket drain (BKDR-4), galvanized legs & side bracing, high impact corrosion resistant adjustable bullet feet, NSF Dimensions 46.25(h) x 48(w) x 30.38(d) Weight: 83 lbs total	\$1,028.39	\$1,028.39
			ITEM TOTAL:	\$1,028.39

D 02		SPARE NO.		
D 03		SPARE NO.		
D 04		SPARE NO.		
D 05		SPARE NO.		
D 06	1 ea	CLEAN DISHTABLE BK Resources Model No. BKCDT-26-L Clean Dishtable, straight design, 26"W x 30-3/8"D x 46-1/4"H, right-to-left operation, 18/304 stainless steel top, 10"H backsplash, raised rolled edge on front & side, galvanized legs & side bracing, high impact corrosion resistant adjustable bullet feet, NSF Dimensions 46.25(h) x 26(w) x 30.38(d) Weight: 33.5 lbs total	\$320.71	\$320.71
			ITEM TOTAL:	\$320.71


Item	Qty	Description	Sell	Sell Total
D 07	1 ea	THREE (3) COMPARTMENT SINK BK Resources Model No. BKS-3-1824-14-24T Sink, three compartment, 102"W x 29-13/16"D x 43-3/4"H overall size, 18" wide x 24" front-to-back x 14" deep compartments, (2) left & right 24" drainboards, 9"H backsplash, 8" OC splash mount faucet holes, 1-1/2" rolled edges on front & sides, includes basket drains (BKDR-4), 18/304 stainless steel construction, galvanized steel legs, adjustable high impact corrosion resistant feet, NSF Dimensions 43.75(h) x 102(w) x 29.81(d)	\$1,433.39	\$1,433.39
				
	1 ea	BKF-SMPR-WB-AF14-G OptiFlow™ Pre-Rinse Assembly, with 14" add-on faucet, splash-mounted, 8" OC, triple ply hose, 1/4 turn ceramic cartridges, integral check valves, color coded hot & cold indicators, 1/2" female inlets, 12" wall bracket, lead free, NSF, cCSAus Weight: 123 lbs total	\$350.40	\$350.40
			ITEM TOTAL:	\$1,783.79
D 08		SPARE NO.		
D 09		SPARE NO.		
D 10	1 ea	OVERSHELF BK Resources Model No. BKWS6-1496-PR Premium Overshelf, wall mount with pot rack, 96"W x 14"D, 16/304 stainless steel, 1-1/2"H rear up-turn, (3) 9-3/4" angle supports, (8) stainless steel double prong hooks (BKSSDPH), NSF Dimensions 11.25(h) x 96(w) x 14(d) Weight: 50 lbs total	\$1,127.52	\$1,127.52
				
			ITEM TOTAL:	\$1,127.52
D 11		SPARE NO.		
D 12		SPARE NO.		
E 01	1 ea	PIZZA PREPARATION REFRIGERATOR Atosa USA, Inc. Model No. MPF8203GR Atosa Refrigerated Pizza Prep Table, three-section, 93"W x 33-1/0"D x 44"H, side-mounted self-contained refrigeration, 28.4 cu. ft., (3) self-closing hinged solid doors with locks, digital temperature control, 33° to 38°F temperature range, automatic evaporation, air defrost, includes, (6) shelves, 19-1/4" poly cutting board, (12) 1/3 stainless steel pans, stainless steel interior & exterior, galvanized steel back, 5" casters, R290 Hydrocarbon refrigerant, 1/4 HP, 3.1 amps, 115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation Dimensions 44(h) x 93(w) x 33.01(d)	\$4,502.28	\$4,502.28
				
	1 ea	2 year labor & parts warranty, 5 years warranty on compressor (continental USA only)		
	1 ea	MROS-93P Overshelf, double, for pizza prep table, 93"W x 14"D x	\$401.88	\$401.88

Item	Qty	Description	Sell	Sell Total
		47"H, sound deadened, adjustable,18/430 stainless steel, NSF Weight: 582 lbs total		
			ITEM TOTAL:	\$4,904.16
E 02		SPARE NO.		
E 03		SPARE NO.		
E 04		SPARE NO.		
E 05	2 ea	SANDWICH / SALAD PREPARATION REFRIGERATOR Atosa USA, Inc. Model No. MSF8302GR Atosa Sandwich/Salad Top Refrigerator, two-section, 48-1/5"W x 30"D x 41-3/8"H, includes (12) 1/6 poly pans, rear-mounted, self-contained refrigeration, 13.4 cu. ft., (2) solid hinged self-closing doors, digital temperature control, 33° to 40°F temperature range, (2) adjustable shelves, 9-1/4" poly cutting board, ventilated refrigeration, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 3" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.3 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation Dimensions 41.38(h) x 48.2(w) x 30(d)	\$2,194.36	\$4,388.72
				
	2 ea	2 year labor & parts warranty, 5 years warranty on compressor (continental USA only)		
	2 ea	MROS-4RE Overshelf, double, 48-1/4"W x 12-8/10"D x 33"H, sound deadened, adjustable,18/430 stainless steel, NSF	\$263.16	\$526.32
	2 ea	1/6 size, 6" deep poly pans and dividers included Weight: 604 lbs total		
			ITEM TOTAL:	\$4,915.04
E 06		SPARE NO.		
E 07	1 ea	UNDERCOUNTER REFRIGERATOR Atosa USA, Inc. Model No. MGF8403GR Atosa Undercounter Refrigerator, reach-in, two-section, 60-1/4"W x 30"D x 34-1/4"H, rear-mounted self-contained refrigeration, 17.2 cu. ft., (2) hinged solid doors, digital temperature control, 33° to 40°F temperature range, (2) adjustable shelves, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 2" casters, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 2.8 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR® Dimensions 34.25(h) x 60.25(w) x 30(d)	\$2,309.28	\$2,309.28
				
	1 ea	2 year labor & parts warranty, 5 years warranty on compressor (continental USA only)		
	1 ea	MROS-5RE Overshelf, double, 60-1/4"W x 12-8/10"D x 33"H, sound deadened, adjustable,18/430 stainless steel, NSF Weight: 295 lbs total	\$283.56	\$283.56
			ITEM TOTAL:	\$2,592.84


Item	Qty	Description	Sell	Sell Total
E 08		SPARE NO.		
E 09	1 ea	 PLANETARY MIXER Globe (Middleby) Model No. SP60 (QUICK SHIP) Planetary Mixer, floor model, 3-speed (fixed), 60 qt. (57 liter) stainless steel bowl, #12 attachment hub, includes: stainless steel removable bowl guard with built-in ingredient chute, stainless steel wire whip, aluminum flat beater, aluminum spiral dough hook & bowl truck, safety interlocked bowl lift, gear-driven, high torque transmission, heat-treated hardened steel alloy gears & shafts, thermal overload protection, front-mounted digital touchpad controls with 60-minute digital timer & last batch recall, non-slip rubber feet, cast iron body, enamel gray finish, 3 HP motor, cord, NSF, cETLus (Ships within 1-2 days) Dimensions 58(h) x 28.5(w) x 33.5(d) 1 ea Quick Ship items have limited configurations & that standard configuration may not apply. Contact factory for details 1 ea 2 year parts & labor warranty (1 year parts only warranty on agitator and hub accessories, no labor provided) (excludes wear items), standard 1 ea 220v/60/1-ph, 23.0 amps, NEMA L6-30P Weight: 700 lbs total	\$15,660.70	\$15,660.70
			ITEM TOTAL:	\$15,660.70
E 10	1 ea	 ONE (1) COMPARTMENT SINK BK Resources Model No. BKS-1-18-12-18L Sink, one compartment, 38-1/2"W x 23-13/16"D x 43-3/4"H overall size, 18" wide x 18" front-to-back x 12" deep compartment, 18" drainboard on left, 9"H backsplash, 8" OC splash mount faucet holes, 1-1/2" rolled edges on front & sides, includes basket drain (BKDR-4), 18/304 stainless steel construction, galvanized steel legs, adjustable high impact corrosion resistant feet, NSF Dimensions 43.75(h) x 38.5(w) x 23.81(d) 1 ea BKF-8W-12-G WorkForce™ Standard Duty Faucet, splash-mounted, 8" OC, 12" swing spout, double O-ring spout seal, 1/4 turn ceramic cartridges, stainless steel valves, polished chrome finish, lead free, NSF, cCSAus Weight: 42.5 lbs total	\$448.99	\$448.99
			ITEM TOTAL:	\$524.79
E 11		SPARE NO.		
E 12	1 ea	SHELVING, WALL MOUNTED	\$63.30	\$63.30


Item	Qty	Description	Sell	Sell Total
		Omcan USA Model No. 22109 (22109) Shelf, wall-mounted, solid, 36"W x 12-3/4"D x 11-1/2"H, 231 lb load capacity, 18 gauge 430 stainless steel, NSF Dimensions 11.5(h) x 36(w) x 12.75(d) Weight: 11 lbs total		
			ITEM TOTAL:	\$63.30
E 13		SPARE NO.		
E 14	1 ea	PLANETARY MIXER Globe (Middleby) Model No. SP60 (QUICK SHIP) Planetary Mixer, floor model, 3-speed (fixed), 60 qt. (57 liter) stainless steel bowl, #12 attachment hub, includes: stainless steel removable bowl guard with built-in ingredient chute, stainless steel wire whip, aluminum flat beater, aluminum spiral dough hook & bowl truck, safety interlocked bowl lift, gear- driven, high torque transmission, heat-treated hardened steel alloy gears & shafts, thermal overload protection, front-mounted digital touchpad controls with 60-minute digital timer & last batch recall, non-slip rubber feet, cast iron body, enamel gray finish, 3 HP motor, cord, NSF, cETLus (Ships within 1-2 days) Dimensions 58(h) x 28.5(w) x 33.5(d) 1 ea Quick Ship items have limited configurations & that standard configuration may not apply. Contact factory for details 1 ea 2 year parts & labor warranty (1 year parts only warranty on agitator and hub accessories, no labor provided) (excludes wear items), standard 1 ea 220v/60/1-ph, 23.0 amps, NEMA L6-30P Weight: 700 lbs total	\$15,660.70	\$15,660.70
			ITEM TOTAL:	\$15,660.70
E 15	1 ea	WORK TABLE, STAINLESS STEEL TOP BK Resources Model No. VTT-6030 Work Table, 60"W x 30"D, 18/430 stainless steel top, with turndown edges on all sides, reinforced with channels, adjustable galvanized undershelf, 1-5/8" dia. galvanized legs, adjustable high-impact corrosion-resistant feet, NSF Dimensions 36(h) x 60(w) x 30(d) Weight: 76 lbs total	\$245.44	\$245.44
			ITEM TOTAL:	\$245.44
E 16	1 ea	SHELVING, WALL MOUNTED	\$98.06	\$98.06



Item	Qty	Description	Sell	Sell Total
		Omcan USA Model No. 22111 (22111) Shelf, wall-mounted, solid, 60"W x 12-3/4"D x 11-1/2"H, 286 lb load capacity, 18 gauge 430 stainless steel, NSF Dimensions 11.5(h) x 60(w) x 12.75(d) Weight: 16 lbs total		
			ITEM TOTAL:	\$98.06
E 17		SPARE NO.		
E 18	1 ea	CART, UTILITY/BUSSING GSW USA Model No. C-23L Economy Food Cart, 34"W x 21"D x 37"H, shipped KD Dimensions 37(h) x 34(w) x 21(d) 	\$131.14	\$131.14
			ITEM TOTAL:	\$131.14
E 19		SPARE NO.		
E 20	1 ea	UNDERCOUNTER REFRIGERATOR Atosa USA, Inc. Model No. MGF8403GR Atosa Undercounter Refrigerator, reach-in, two-section, 60-1/4"W x 30"D x 34-1/4"H, rear-mounted self-contained refrigeration, 17.2 cu. ft., (2) hinged solid doors, digital temperature control, 33° to 40°F temperature range, (2) adjustable shelves, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 2" casters, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 2.8 amps, cord, NEMA 5-15P, cETLus, ETL- Sanitation, ENERGY STAR® Dimensions 34.25(h) x 60.25(w) x 30(d) 1 ea 2 year labor & parts warranty, 5 years warranty on compressor (continental USA only) 1 ea MROS-5RE Overshelf, double, 60-1/4"W x 12-8/10"D x 33"H, sound deadened, adjustable, 18/430 stainless steel, NSF Weight: 295 lbs total	\$2,309.28	\$2,309.28
			ITEM TOTAL:	\$2,592.84
E 21		SPARE NO.		
E 22		SPARE NO.		
E 23		SPARE NO.		
E 24		SPARE NO.		
E 25	1 ea	PIZZA PREPARATION REFRIGERATOR	\$4,502.28	\$4,502.28

Item	Qty	Description	Sell	Sell Total
		Atosa USA, Inc. Model No. MPF8203GR Atosa Refrigerated Pizza Prep Table, three-section, 93"W x 33-1/0"D x 44"H, side-mounted self-contained refrigeration, 28.4 cu. ft., (3) self-closing hinged solid doors with locks, digital temperature control, 33° to 38°F temperature range, automatic evaporation, air defrost, includes, (6) shelves, 19-1/4" poly cutting board, (12) 1/3 stainless steel pans, stainless steel interior & exterior, galvanized steel back, 5" casters, R290 Hydrocarbon refrigerant, 1/4 HP, 3.1 amps, 115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation Dimensions 44(h) x 93(w) x 33.01(d)		
	1 ea	2 year labor & parts warranty, 5 years warranty on compressor (continental USA only)		
	1 ea	MROS-93P Overshelf, double, for pizza prep table, 93"W x 14"D x 47"H, sound deadened, adjustable, 18/430 stainless steel, NSF Weight: 582 lbs total	\$401.88	\$401.88
			ITEM TOTAL:	\$4,904.16
E 26		SPARE NO.		
E 27	1 ea	UNDERCOUNTER REFRIGERATOR Atosa USA, Inc. Model No. MGF8404GR Atosa Undercounter Refrigerator, reach-in, three-section, 72-11/16"W x 30"D x 34-1/4"H, rear-mounted self-contained refrigeration, 21.13 cu. ft., (3) hinged solid doors, digital temperature control, 33° to 40°F temperature range, (3) adjustable shelves, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 2" casters, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 2.8 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR® Dimensions 34.25(h) x 72.69(w) x 30(d)	\$2,502.40	\$2,502.40
	1 ea	2 year labor & parts warranty, 5 years warranty on compressor (continental USA only)		
	1 ea	MROS-6RE Overshelf, double, 72-5/8"W x 12-8/10"D x 33"H, sound deadened, adjustable, 18/430 stainless steel, NSF Weight: 351 lbs total	\$303.28	\$303.28
			ITEM TOTAL:	\$2,805.68
E 28		SPARE NO.		
E 29		SPARE NO.		
E 30		SPARE NO.		
F 01		SPARE NO.		
F 02		SPARE NO.		
F 03		SPARE NO.		
F 04		SPARE NO.		

Item	Qty	Description	Sell	Sell Total
F 05		SPARE NO.		
F 06		SPARE NO.		
F 07		SPARE NO.		
F 08		SPARE NO.		
G 01.1	4 ea	WIRE SHELVING Thunder Group Model No. CMSV1824 Packed 2 ea Wire Shelving, 18" x 24", chrome plated finish, NSF (2 each minimum order) Dimensions 24(w) x 18(d)	\$14.08	\$56.32
	4 ea	5 year warranty, standard		
	4 ea	CMPC086 Shelving Post, 86"H, with leveling foot, heavy duty, chrome finish, NSF (4 each minimum order) Weight: 42.11 lbs total	\$6.57	\$26.28
			ITEM TOTAL:	\$82.60
G 01.2	8 ea	WIRE SHELVING Thunder Group Model No. CMSV1842 Packed 2 ea Wire Shelving, 18" x 42", chrome plated finish, NSF (2 each minimum order) Dimensions 42(w) x 18(d)	\$20.77	\$166.16
	8 ea	5 year warranty, standard		
	8 ea	CMPC086 Shelving Post, 86"H, with leveling foot, heavy duty, chrome finish, NSF (4 each minimum order) Weight: 117.74 lbs total	\$6.57	\$52.56
			ITEM TOTAL:	\$218.72
G 01.3	24 ea	WIRE SHELVING Thunder Group Model No. CMSV1836 Packed 2 ea Wire Shelving, 18" x 36", chrome plated finish, NSF (2 each minimum order) Dimensions 36(w) x 18(d)	\$18.01	\$432.24
	24 ea	5 year warranty, standard		
	24 ea	CMPC086 Shelving Post, 86"H, with leveling foot, heavy duty, chrome finish, NSF (4 each minimum order) Weight: 318.78 lbs total	\$6.57	\$157.68
			ITEM TOTAL:	\$589.92
G 02.1	4 ea	WIRE SHELVING	\$29.80	\$119.20

Item	Qty	Description	Sell	Sell Total
		Thunder Group Model No. CMSV1860 Packed 2 ea Wire Shelving, 18" x 60", chrome plated finish, NSF (2 each minimum order) Dimensions 60(w) x 18(d)		
	4 ea	5 year warranty, standard		
	4 ea	CMPC086 Shelving Post, 86"H, with leveling foot, heavy duty, chrome finish, NSF (4 each minimum order) Weight: 75.17 lbs total	\$6.57	\$26.28
			ITEM TOTAL:	\$145.48
G 02.2	8 ea	WIRE SHELVING Thunder Group Model No. CMSV1836 Packed 2 ea Wire Shelving, 18" x 36", chrome plated finish, NSF (2 each minimum order) Dimensions 36(w) x 18(d)	\$18.01	\$144.08
	8 ea	5 year warranty, standard		
	8 ea	CMPC086 Shelving Post, 86"H, with leveling foot, heavy duty, chrome finish, NSF (4 each minimum order) Weight: 106.26 lbs total	\$6.57	\$52.56
			ITEM TOTAL:	\$196.64
G 03	1 ea	WALK-IN Arctic Industries Combo - Cooler/Freezer Panels See spec sheet for details	\$27,504.11	\$27,504.11
	1 ea	REMOTE REFRIGERATION Remote Refrigeration System See spec sheet for details	\$14,664.10	\$14,664.10
			ITEM TOTAL:	\$42,168.21
G 04		SPARE NO.		
G 05	5 st	BUN / SHEET PAN RACK Thunder Group Model No. ALSPR020 Packed 1 st Bun Pan Rack, 20-1/4"L x 26"W x 69-1/4"H end load, round top design, holds 20 full size or 40 half-size pans, crossbars, aluminum tubing, (4) 5" swivel casters (2-locking), NSF (assembly required) Dimensions 69.25(h) x 20.25(w) x 26(d) Weight: 164.3 lbs total	\$168.02	\$840.10
			ITEM TOTAL:	\$840.10
G 06		SPARE NO.		
L 01		SPARE NO.		
L 02		SPARE NO.		
L 03	1 ea	HAND SINK	\$408.87	\$408.87

Item	Qty	Description	Sell	Sell Total
		Krowne Model No. 18-1C Silver Series One Compartment Sink, 12" W x 18.5" D, 10"D x 14"W x 7"H bowl size, 1-1/2" drain, 3" H backsplash with 4" center wall mount faucet included with quarter turn ceramic valves, Durable stainless steel construction, 1-5/8" tubular legs with gray plastic bullet feet, Pre-drilled rivnuts for easy attachment in the field, NSF Dimensions 34(h) x 12(w) x 18.5(d) Weight: 25 lbs total		
			ITEM TOTAL:	\$408.87
L 04		SPARE NO.		
L 05	1 ea	BLENDER STATION Krowne Model No. 18-12BD Silver Series Blender Dump Sink, 12" W x 22.5" D, 12"D x 10"W x 7"H bowl size, 1-1/2" drain, 3" H backsplash with 4" center wall mount faucet included with quarter turn ceramic valves, Durable stainless steel construction, 1-5/8" tubular legs with gray plastic bullet feet, Pre-drilled rivnuts for easy attachment in the field, NSF Dimensions 34(h) x 12(w) x 22.5(d) Weight: 30 lbs total	\$454.91	\$454.91
			ITEM TOTAL:	\$454.91
L 06		SPARE NO.		
L 07	1 ea	DRAINBOARD Krowne Model No. 18-GS18 Silver Series Drainboard, 18"W x 18.5"D, Embossed drainboard top, 3" H backsplash, 1" Drain, Durable stainless steel construction, 1-5/8" tubular legs with gray plastic bullet feet, Pre-drilled rivnuts for easy attachment in the field, NSF Dimensions 34(h) x 18(w) x 18.5(d) Weight: 26 lbs total	\$347.99	\$347.99
			ITEM TOTAL:	\$347.99
L 08	1 ea	ICE BIN Krowne Model No. 18-36-7 Silver Series Insulated Ice Bin with 7-Circuit Cold Plate and Full Sliding Cover, 36" W x 12" Deep x 22.5" front to back depth, 3" H backsplash, 1" drain, 1-5/8" tubular legs with gray plastic bullet feet, Durable stainless steel construction, Pre-drilled rivnuts for easy attachment in the field, NSF Dimensions 34(h) x 36(w) x 18.5(d)	\$1,550.34	\$1,550.34
	1 ea	S-36 Silver Series Speedrail, 36"W, field mount only Weight: 120 lbs total	\$88.61	\$88.61
			ITEM TOTAL:	\$1,638.95

Item	Qty	Description	Sell	Sell Total
L 09		SPARE NO.		
L 10		SPARE NO.		
L 11		SPARE NO.		
L 12	1 ea	 DRAINBOARD Krowne Model No. 18-GS12 Silver Series Drainboard, 12"W x 18.5"D, Embossed drainboard top, 3" H backsplash, 1" Drain, Durable stainless steel construction, 1-5/8" tubular legs with gray plastic bullet feet, Pre-drilled rivnuts for easy attachment in the field, NSF Dimensions 34(h) x 12(w) x 18.5(d) Weight: 20 lbs total	\$371.70	\$371.70
			ITEM TOTAL:	\$371.70
L 13		SPARE NO.		
L 14		SPARE NO.		
L 15		SPARE NO.		
L 16	2 ea	 DRAFT BEER COOLER Arctic Air Model No. ADD60R-2 Direct Draw Draft Beer Dispenser, 61"W, 16.7 cu. ft. capacity, side mounted self-contained refrigeration, electronic thermostat with digital LED display, 33°F to 41°F temperature range, (2) tap towers, (2) faucets per tower, interior top ventilated stainless steel duct, (2) solid hinged doors with locks, LED interior lighting, external drain mount, mounted 4-way air distributor, stainless steel interior, reinforced stainless steel threshold & floor, 1-1/2" solid foamed stainless steel countertop, black powder coated steel front & sides, (4) 3-1/4" casters (2 locking), R290 Hydrocarbon refrigerant, 480 BTU/h rejected heated air gain, 2/5 HP, 3.0 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation Dimensions 39.5(h) x 61(w) x 24(d)	\$2,593.50	\$5,187.00
	2 ea	2 year parts & labor, 5 years on compressor warranty standard		
	2 ea	Any Arctic Air model installed in mobile application such as concession trailers, food trucks, etc. or in an outdoor venue shall be limited to one (1) year parts, labor, & compressor warranty only. Models ACP40, ACP48, ACP55, ACP63, ACP4SQ, & ACPSQ are limited to one (1) year parts & labor coverage. Models AWR25 and AWF25 are limited to one (1) year parts & labor coverage and five (5) year compressor warranty. Light bulbs, door gaskets, etc... are limited to a 90-day warranty period & door hinges to a one (1) year period. The warranty is not valid for Residential use.		
	2 ea	Standard warranty only		
	2 ea	3" casters (2 locking), set of 4, standard Weight: 650 lbs total		
			ITEM TOTAL:	\$5,187.00

Item	Qty	Description	Sell	Sell Total
L 17		SPARE NO.		
L 18		SPARE NO.		
L 19		SPARE NO.		
L 20	1 ea	BACK BAR CABINET, REFRIGERATED Arctic Air Model No. ABB72G Back Bar Refrigerator, three-section, 73"W, 20.7 cu. ft. capacity, (84) 6-pk 12oz. cans capacity, side mounted self-contained capillary tube refrigeration, electronic thermostat with digital LED display, 33° to 41°F temperature range, (3) hinged glass locking doors, interior LED lighting, (6) adjustable wire shelves, black powder coated steel front & sides exterior, stainless steel interior, R290 Hydrocarbon refrigerant, 480 BTU/h rejected heated air gain, 3/7 HP, 3.0 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation Dimensions 39.63(h) x 73.13(w) x 24(d) 1 ea 2 year parts & labor, 5 years on compressor warranty standard 1 ea Any Arctic Air model installed in mobile application such as concession trailers, food trucks, etc. or in an outdoor venue shall be limited to one (1) year parts, labor, & compressor warranty only. Models ACP40, ACP48, ACP55, ACP63, ACP4SQ, & ACPSQ are limited to one (1) year parts & labor coverage. Models AWR25 and AWF25 are limited to one (1) year parts & labor coverage and five (5) year compressor warranty. Light bulbs, door gaskets, etc... are limited to a 90-day warranty period & door hinges to a one (1) year period. The warranty is not valid for Residential use. 1 ea Standard warranty only 1 ea 3" casters (2 locking), set of 4, standard Weight: 410 lbs total	\$2,687.10	\$2,687.10
			ITEM TOTAL:	\$2,687.10
L 21		SPARE NO.		
L 22		SPARE NO.		
N 01		SPARE NO.		
N 02		SPARE NO.		
N 03		SPARE NO.		
N 04		SPARE NO.		
N 05		SPARE NO.		
N 06		SPARE NO.		
J 01	1 ea	MOP SINK	\$420.90	\$420.90



Cornerstone Restaurant Supply & Design,

12/20/2024

Merchandise	\$309,197.20
Freight	\$3,751.62
Tax 7.75%	\$21,155.15
Total	\$334,103.97

ALL INVOICES ARE DUE AND PAYABLE UPON RECEIPT. TERMS ARE NOT OFFERED WITHOUT PRIOR APPROVAL BY CORNERSTONE RESTAURANT SUPPLY & DESIGN, INC.

OWNERSHIP: Title of all merchandise shall remain the property of Cornerstone Restaurant Supply & Design, Inc., seller, until full payment is paid by purchaser. PLEASE

NOTE: 1-1/2% monthly (18% annually) service charge will be added on all accounts past due, \$35 fee charged for all returned checks. All legal costs and attorney fees incurred in the collection of payment for invoices shall be the sole responsibility of the purchaser. All prices quoted are cash pricing. Credit card payments shall be assessed a 3% processing fee. All quotes expire in 30 days. **Returns:** No merchandise can be returned without express authorization of seller. All returns are subject to a 30% restocking and handling charge. All freight and other applicable charges will be at the customer's expense. If a defect is noticed it should be reported to us within 24 hours of shipment arrival. All merchandise subject to a return must be in its original packaging, unused and unassembled. All goods are specific to a customer's preference; therefore special order items are non-refundable unless prior written consent is given by seller. Store credit will be issued for accepted returned merchandise **WARRANTY:** All warranties offered by the Manufacturer shall be that of the manufacturer alone. Cornerstone shall not be liable for any Manufacturer's defects, loss of sales or products due to any Manufacturer's defect of the product. Cornerstone makes no warranty concerning fit for use in purchaser's business. All used equipment is sold strictly "AS IS". Cornerstone shall not be held liable for any loss of sales or products due to used equipment failures. All repairs and maintenance shall become the responsibility of the purchaser.

DAMAGES AND SHORTAGES: All shipments must be inspected prior to signing receiving documents and shall be the responsibility of the receiver. Any damages, including concealed damages not recorded on delivery receipt shall be accepted by the customer "AS IS" and becomes the liability of the customer. Customer is responsible for measuring doorways, stairways, and other access points to assure that proper delivery can be made. It is the customer's responsibility to remove any doors, door hinges or railing that can impede delivery. Cornerstone will not be responsible for any damage to the customer's property. Premium freight services, such as lift gate, inside delivery, set in place, unpack, delivery to schools, prisons, active convention centers, military bases, secured federal facilities, residential delivery or any additional freight expense shall be billed at an additional rate. **NO CASH REFUNDS: EXCHANGES ONLY- 30% RESTOCKING CHARGE. PRICES SUBJECT TO CHANGE WITHOUT**

NOTICE.

Acceptance: _____ Date: _____

Printed Name: _____

www.pdsignarama.com

Payment Terms: Cash/Credit Card Customer

Created Date: 12/4/2024

DESCRIPTION: Papa Dan's Face-lit Channel Letter Building Sign in Palm Desert

Bill To: PAPA DANS PIZZA & PASTA
 73131 Country Club Dr.
 Ste. C9
 Palm Desert, CA 92260
 US

Installed: PAPA DANS PIZZA & PASTA
 Papa Dan's
 73011 Country Club Dr.
 Suite F1
 Palm Desert, CA 92260
 US

Requested By: Ira Mosley
 Email: papadans1984@aol.com
 Work Phone: (760) 568-3267

Salesperson: Victoria Romero
 Work Phone: 760-250-5331

NO.	Product Summary	QTY	UNIT PRICE	AMOUNT
1	Face-lit Channel Letters for Papa Dan's 1.1 Standard Channel Letter - Part Qty: 1 Text: Materials: Aluminum returns - 5" deep cans Painted black returns Black trim cap 3/16" red acrylic faces 7000 Kelvin LED's Linear frontage for ___ unit: Linear frontage for ___ unit: Combined: ___ linear feet **Printed photos to show where dimensional references start and finish Sign reads: (logo) Papa Dan's - logo reference #119833 **Design to thicken fonts to allow for face-lit letters & show a night view version. Folder: Victoria/ Papa Dan's/ Palm Desert Building Signs	2	\$5,194.00	\$10,388.00
2	Permit/ Procurement Fee	1	\$628.00	\$628.00

2.1	Permit / Procurement Fee -			
	Text: Permit fee: \$363 Procurement fee: \$265			
3	Install Fee - No Removal Needed	1	\$949.00	\$949.00
3.1	Labor -			
	Part Qty: 1			
	Text: Installation of 2 new face-lit channel letter sets.			

Regarding production of custom signs, this estimate is valid based on information from client about the project requirements. Changes by the client after proof and quote approval may result in a change to the price of the produced signs.

Subtotal:	\$11,965.00
Taxes:	\$805.07
Grand Total:	\$12,770.07
Deposit Required:	\$6,385.04

Regarding Installation and onsite services, this quote is for estimation purposes and is not a guarantee of cost for sign services for installation. The Estimate is based on current information from client about the project. for time required to complete the installation. Actual cost may change once project elements are finalized. Client agrees that sign service & repair will add on the cost of ballast, LED lights, lamps, sockets, wiring and other components to restore sign illumination as needed only. Client must request and approve complete replacement of lamps. Client may choose to pay for a site survey wherein we will inspect the sign illumination and will provide an itemized list of replacement components the sign needs.

Signature: _____ **Date:** _____



Placencia Mirror and Glass
 42461 Ritter Cir.
 Palm Desert, CA 92211
 (760) 773-5504
 apalafox@placenciamirrorandglass.com

Estimate Date 12/6/2024
 Customer PO



Estimate Details

Glass replacements: Remove existing wood sash and dispose of glass. Supply and install new dual pane clear tempered glass with Solar Ban 70 low e. We will reuse existing wood stops and mill down to accept new glass, primer edge and re install.

North east elevation:

Qty (4) 48" x 70"

Qty (4) 48" x 12"

North west elevation-1st bay starting from east:

Qty (3) 54" x 70"

Qty (3) 54" x 20"

Qty (1) 40" x 70"

Qty (1) 40" x 20"

North west elevation-2nd bay:

Qty (2) 56" x 70"

Qty (2) 56" x 20"

Qty (1) 14" x 70"

Qty (1) 14" x 20"

North west elevation-3rd bay:

Qty (3) 56" x 70"

Qty (3) 56" x 20"

Qty (1) 40" x 6"

North west elevation-4th bay:

Qty (3) 54" x 70"

Qty (3) 54" x 20"

Qty (1) 40" x 70"

Qty (1) 40" x 20"

West elevation:

Qty (4) 48" x 70"

Qty (4) 48" x 20"

Single storefront door:

East elevation new opening approx. size 40" x 84" single door swing out only, over head concealed closer, bronze anodized finish, dual pane tempered glass with Solar Ban 70 low e. Door to match existing.

Service #	Description	Quantity
Misc Placencia Mirror & Glass	Miscellaneous Placencia Mirror and Glass	1.00
Sub-Total		\$44,770.00
Tax		\$0.00
Total		\$44,770.00

Above order will be processed after receipt of signed proposal

1. A SIGNED ESTIMATE WITH 50% DEPOSIT IS REQUIRED TO RELEASE THIS ORDER INTO PRODUCTION. *Deposits are nonrefundable* Payment by check or credit card will be required upon completion.
2. Any estimate 30 days OR OLDER will be considered null and void; a new UPDATED estimate will need to be done thereafter.
3. If payment is not received with signed Estimate Client has 5 days to remit deposit before Estimate becomes null and void.

TERMS AND CONDITIONS:

All material is guaranteed to be as specified. All work to be completed in a workmanlike manner according to standard practices. Any alteration or deviation from above specifications involving extra costs will be executed only upon written orders, and will become an extra charge over and above our estimate. Please note: This quote does NOT include any Structural, Stucco, Patch or drywall work, removal, and repairs. % feet of clearance is required inside and outside the perimeter of installation location. This quote does NOT include Building permit, city permit, Title 24 Report or HOA fees. All agreements are contingent upon strikes, accidents or delays beyond our control. Owner to carry fire, tornado and other necessary insurance. The prices, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified. Payment will be made as outlined above.

QUOTATION





WHY SHOULD YOU USE THE REVOLUTION SERIES ?

VERSATILE

The Revolution oven is a continuous baking type oven with direct fired radiant heat and not a convection type oven. Many different products may be baked at the same time enabling you to increase your sales, baking everything your customers could ever want, when they want it.

OPTIONS

You can choose either gas or electric models. There are also 3 different shelf material option : steel, stone, perforated.

ECONOMICAL

Because this oven takes up less of your kitchen space and offers an ergonomic design so you can double up on quantity. This added to an extremely efficient burner system helps you economize on multiple levels, reducing your operating cost.

COMPACT SIZE

The Revolution oven's compact size is only one of the many ways that this oven is revolutionizing the history of revolving ovens.

LOW MAINTENANCE

Picard has become famous for providing some of the industry's most innovative and durable ovens. We continue this long tradition by making the Revolution simple to clean, impervious to rust and trouble-free to operate. Count on your Revolution to provide you with years of hassle-free service.



BASIC FEATURES

- Single point ventilation through the exhaust canopy
- Digital control panel
- Aluminized steel interior walls and roof
- All carbon-graphite bushings for mobile parts
- Choice of either full steel or expanded metal shelves; optional baking stone shelves imbedded inside shelf structure available

POWERMAX SYSTEM

- Picard ovens unique system
- Maintains constant temperature
- Maximum energy output
- Powerful
- Silent
- Maintenance free
- Clean burning
- Tray holders

AEROMAX VENTILATION SYSTEM

- Double directional ventilation (front and back)
- Permits equal baking
- Factory adjusted but permits special adjustments at the clients focal
- Special system for better performance
- Bakes faster



Quote #	Date
0004228	Oct 07, 2024

Bill To	Ship To
[REDACTED]	

Valid Until	Sales Rep	Currency	Amount
Nov 06, 2024	[REDACTED]	USD	\$ 71,954.72

#	Product	Details	Qty	Price	%Disc	Total
1	Revolution Hybrid RE-7-28	Model: RE-7-28 Gas: Natural Main voltage: 208-240V-1ph-60Hz Steam option: No Rear exterior wall finish: Galvanized Exhaust canopy: Type 2 Shelf rotation speed: 60 secs Carrousel option: 7 shelves Shelf #1 type: Full steel Shelf #2 type: Full steel Shelf #3 type: Full steel Shelf #4 type: Full steel Shelf #5 type: Full steel Shelf #6 type: Full steel Shelf #7 type: Full steel Steel plate (for perforated shelf): No Prison package option: No Replacement motor: YES Packaging: Partially assembled and crated BTU/Hour: 250,000 Dimensions: 102" L x 93 1/2" W x 91 1/2" H Trays size: 20" x 72"	1	\$ 36,113.00	2.5	\$ 35,210.18



2	Revolution Hybrid RE-7-14	<p>Model: RE-7-14 Gas: Natural Main voltage: 208-240V-1ph-60Hz Steam option: No Rear exterior wall finish: Galvanized Exhaust canopy: Type 2 Shelf rotation speed: 60 secs Carrousel option: 7 shelves Shelf #1 type: Full steel Shelf #2 type: Full steel Shelf #3 type: Full steel Shelf #4 type: Full steel Shelf #5 type: Full steel Shelf #6 type: Full steel Shelf #7 type: Full steel Steel plate (for perforated shelf): No Prison package option: No Replacement motor: YES Packaging: Partially assembled and crated</p> <p>BTU/Hour: 150,000 Dimensions: 102" L x 57 1/2" W x 91 1/2" H Trays size: 20" x 36"</p>	1	\$ 31,113.00	2.5	\$ 30,335.18
3	6 Months Maintenance Kit - Revolution Oven	<p>Includes: - Grease tube, food grade</p>	2	\$ 223.63	100	\$ 0.00
4	1 Year Maintenance Kit - RE 4-8 / RE-8-16	<p>Includes: - Grease tube, food grade - Rubber belt - Fuses - Ignition rod - Ignition cable</p>	1	\$ 556.73		\$ 556.73
5	1 Year Maintenance Kit - RE-4-16 / RE-8-32	<p>Includes: - Grease tube, food grade - Rubber belt - Fuses - Ignition rod - Ignition cable</p>	1	\$ 577.63		\$ 577.63
6	Freight RE Oven Zone 3	<p>FREIGHT TO FINAL DESTINATION INCLUDING CUSTOMS DOCUMENTATION AND CLEARANCE, DOES NOT INCLUDE TAXES AND</p>	1	\$ 5,275.00		\$ 5,275.00



		<p>DUTY IF APPLICABLE</p> <p>FREIGHT SHIPS FROM DRUMMONDVILLE, QUEBEC, CANADA.</p> <p>PICARD OVENS IS NOT RESPONSIBLE FOR ANY DELAYS INCURRED BY THE SHIPPING COMPANY DURING TRANSIT.</p>				
--	--	---	--	--	--	--

Total USD: \$ 71,954.72

* Taxes are not included

IM



Notes: Installation included

Installation: Installation is included, unless otherwise indicated. The installation company must be approved by Picard Ovens. Installation on ground level only; if the equipment must be installed in the basement or upstairs, additional charges apply. If the customer's connections are not ready upon delivery (gas, electricity and ventilation), the installation cannot be completed and a service company will have to return on-site once completed, at an additional cost. In this situation, delays in completing the startup are likely and Hot Rocks will not be responsible for any subsequent loss of revenue caused by these delays.

Terms: 50% on signature / 50% prior expedition. Please note that all quotations with a promotion will be cancelled if the first 50% payment is not received within 45 days after the signature. Future promotions are not applicable to signed quotes. If different terms are offered in the notes section, those in the notes override the 50%-50% terms.

Cancellation: A 25% administration fee on the total cost of the order will apply upon cancellation.

Lead time: Will be determined upon the reception of the first 50% payment.

Warranty: Standard one (1) year on parts and labour against all defects in material under normal use.

Customer responsibility: Depending on equipment, all electrical, gas, HVAC – ventilation, chimney hook-up, roof top ventilation motor, plumbing, water, and burner start-up are at the customer's expense. A tradesperson must be on site on the day of the installation to do all the connections. They must be done by the proper trades according to local codes.

Delivery responsibility disclaimer: Shipping is not included unless otherwise indicated. Terms are FOB from the factory. The equipment becomes the ownership of the client once it leaves our dock. Picard Ovens is not responsible for any delays or unclaimed damages incurred by the shipping company during transit nor any subsequent revenue losses caused by shipping delays. Picard Ovens assumes no liability for any contingent or consequential damages incurred by the customer, including but not limited to down time, loss of business, damage or product loss.

Total USD: \$ 71,954.72

* Taxes are not included

Client signature: *Ina Moskay*

Date : 2024-10-07

S & G Pumping Services

S & G Pumping Services

December 5, 2024

Lic. #950244

Call: (760) 766-5074

44489 Town Center Way, suite 481

Palm Desert, Ca 92260

PROPOSAL FOR NEW GREASE TRAP



WORK TO BE PERFORMED

1. Install a concrete 2000 gallon grease interceptor with H-20 traffic rated lids.
2. Connect from building stub out to interceptor with two way combi cleanout.
3. Connect from interceptor to sewer line behind building with two way cleanout,

COST OF SERVICE:

\$38,500.00 parts and labor.

Rich Eggen
S and G Pumping

Date: 12-5-24


Ira Mosley

Date: _____

Proposal submitted to:

General Contractor:

Papa Dan's Pizza



Scope of Work:

Scope of Work Page 1: \$ 741,000.00
 Extras Page 1:

Sub-Total: \$ 741,000.00
 18% Profit and Overhead: \$ 133,380.00

TOTAL: \$ 874,380.00

Draft #1:	\$	200,000.00
Draft #2:	\$	150,000.00
Draft #3:	\$	150,000.00
Draft #4:	\$	150,000.00
Draft #5:	\$	150,000.00
Final:	\$	74,380.00
	\$	874,380.00

Balance:

Start Date:

Estimated completed date:

Respectfully submitted: _____ **Date:** _____

Any alterations or deviation from specifications involving extra costs will be executed only upon written order, and will become an extra charge over and above the estimate. All agreements contingent upon strikes, accidents, or delays beyond our control.

Acceptance of proposal:

The above prices, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified. Payments will be made as outlined above.

Signature: _____ **Date:** _____

Proposal submitted to:

Papa Dan's Pizza

General Contractor:



Scope of Work:

Rough electrical and finish electrical per plans.	\$	95,000.00
Rough plumbing and gas per plans. Finish plumbing per plans.	\$	105,000.00
All needed framing per plans	\$	55,000.00
New drywall and finish throughout building	\$	50,000.00
Prep, prime, and paint interior and exterior of building	\$	35,000.00
All window and door work per plans.	\$	85,000.00
T-bar ceiling and panels per plans.	\$	45,000.00
FRP in kitchens and bar per plans.	\$	20,000.00
Tile work to be done on floors and bathrooms per plans.	\$	90,000.00
Hard surface counters per plans.	\$	45,000.00
Stucco work and stucco repairs to exterior of building.	\$	20,000.00
Water heaters per plans.	\$	18,000.00
Finish work per plans.	\$	30,000.00
Insulation per plans.	\$	30,000.00
Carpet in dining areas per plans.	\$	18,000.00

\$ 741,000.00

Proposal submitted to:

Papa Dan's Pizza

General Contractor:



Notes on Project:

All roofing work to be done by owner of building.

Fire and smoke alarms to be done by separate contractor.

Asphalt street repairs to be done by owner of building.

Air conditioning work on roof to be done by building owner.