

From: CouncilMeeting Comments <CouncilMeetingComments@palmdesert.gov>
Sent: Friday, February 14, 2025 8:39 AM
To: Michelle Nance <mnance@palmdesert.gov>; Anthony Mejia <amejia@palmdesert.gov>
Subject: FW: Haystack preliminary plan approval - issue with the 20' wide maintenance road (2/13/25 PDCC meeting, item 12b)

From: Paul Cahill <paul.cahill99@gmail.com>
Sent: Thursday, February 13, 2025 4:18 PM
To: CouncilMeeting Comments <CouncilMeetingComments@palmdesert.gov>
Subject: Haystack preliminary plan approval - issue with the 20' wide maintenance road (2/13/25 PDCC meeting, item 12b)

Re: February 13, 2025 PDCC agenda, item 12b; Haystack preliminary plan approval - issue with the 20' wide maintenance road

Dear City Council,
I live on Heliotrope Drive, just a few doors down from the flood channel in question. I wish to state to the council that I too am very concerned about the proposed 20' dirt road north of the channel. I recognize access is needed for maintenance equipment, but IMO 20' appears excessive.
I concur with the comments from my neighbor Bob Burley at 47440 Heliotrope. Dr.

Regards
Paul Cahill
47275 Heliotrope Dr.